



OETIKER 1-EAR CLAMPS



Part No.	Normal Size	Inches closed-open	mm closed-open	Inner Width of Ear	
				Inches	mm
105-OE	3/8"	.350 - .414	8.9 - 10.5	.197	5
113R	7/16"	.381 - .444	9.7 - 11.3	.197	5
123R	15/32"	.394 - .486	10.4 - 12.3	.197	6
133-OE	1/2"	.453 - .524	11.4 - 13.3	.236	6
133R	1/2"	.453 - .524	11.4 - 13.3	.236	6
145-OE	9/16"	.496 - .571	12.6 - 14.5	.236	6
145R	9/16"	.496 - .571	12.6 - 14.5	.236	6
157-OE	5/8"	.543 - .618	13.8 - 15.7	.236	6
157R	5/8"	.543 - .618	13.8 - 15.7	.236	6
170-OE	11/16"	.594 - .669	15.1 - 17.0	.236	6
185-OE	23/32"	.618 - .728	15.7 - 18.5	.354	9
198-OE	3/4"	.669 - .779	17.0 - 19.8	.354	9
210-OE	13/16"	.716 - .827	18.2 - 21.0	.354	9
226-OE	7/8"	.779 - .890	19.8 - 22.6	.354	9
226R	7/8"	.779 - .890	19.8 - 22.6	.354	9
241	15/16"	.839 - .949	21.3 - 24.1	.354	9
256-OE	1"	.898 - 1.008	22.8 - 25.6	.354	9
271R	1-1/16"	.945 - 1.067	24.0 - 27.1	.394	10
301-OE	1-3/16"	1.063 - 1.185	27.0 - 30.1	.394	10
301R	1-3/16"	1.063 - 1.185	27.0 - 30.1	.394	10
331-OE	1-5/16"	1.181 - 1.303	30.0 - 33.1	.394	10

OETIKER 2 EAR CLAMPS



Part No.	Normal Size	Inches closed-open	mm closed-open	Width		Thickness		Inner Width of Ear	
				Inches	mm	Inches	mm	Inches	mm
0041	5/32"	.122 - .161	3.1 - 4.1	.138	3.5	.0197	0.05	.0591	1.5
0305	3/16"	.118 - .197	3 - 5	.197	5.0	.0276	0.7	.0980	2.5
0507	1/4"	.197 - .276	5 - 7	.236	6.0	.0276	0.7	.118	3.0
0709	5/16"	.276 - .354	7 - 9	.276	7.0	.0394	1.0	.126	3.2
0811	3/8"	.315 - .433	8 - 11	.276	7.0	.0394	1.0	.177	4.5
0811R	3/8"	.315 - .433	8 - 11	.276	7.0	.0394	1.0	.177	4.5
0911	7/16"	.354 - .433	9 - 11	.276	7.0	.0394	1.0	.138	3.5
1113	1/2"	.433 - .512	11 - 13	.276	7.0	.0394	1.0	.138	3.5
1113R	1/2"	.433 - .512	11 - 13	.276	7.0	.0394	1.0	.138	3.5
1315	9/16"	.512 - .591	13 - 15	.295	7.5	.0394	1.0	.158	4.0
1315R	9/16"	.512 - .591	13 - 15	.295	7.5	.0394	1.0	.158	4.0
1517	19/32"	.591 - .669	15 - 17	.315	8.0	.0473	1.2	.197	5.0
1518	5/8"	.591 - .708	15 - 18	.315	8.0	.0473	1.2	.197	5.0
1518R	5/8"	.591 - .708	15 - 18	.315	8.0	.0473	1.2	.197	5.0
1720	3/4"	.669 - .787	17 - 20	.335	8.5	.0473	1.2	.236	6.0
1720R	3/4"	.669 - .787	17 - 20	.335	8.5	.0473	1.2	.236	6.0
1922	13/16"	.748 - .866	19 - 22	.354	9.0	.0591	1.5	.256	6.5
2023	7/8"	.787 - .905	20 - 23	.354	9.0	.0591	1.5	.256	6.5
2023R	7/8"	.787 - .905	20 - 23	.354	9.0	.0591	1.5	.256	6.5
2225	15/16"	.866 - .984	22 - 25	.394	10.0	.0591	1.5	.256	6.5
2327	1"	.905 - 1.063	23 - 27	.394	10.0	.0591	1.5	.276	7.0
2327R	1"	.905 - 1.063	23 - 27	.394	10.0	.0591	1.5	.276	7.0
2528	1-1/16"	.984 - 1.102	25 - 28	.394	10.0	.0591	1.5	.256	6.5
2528R	1-1/16"	.984 - 1.102	25 - 28	.394	10.0	.0591	1.5	.256	6.5
2731	1-1/8"	1.063 - 1.220	27 - 31	.394	10.0	.0591	1.5	.295	7.5
2731R	1-1/8"	1.063 - 1.220	27 - 31	.394	10.0	.0591	1.5	.295	7.5
3134	1-5/16"	1.220 - 1.339	31 - 34	.394	10.0	.0591	1.5	.295	7.5
3437	1-7/16"	1.339 - 1.457	34 - 37	.394	10.0	.0591	1.5	.315	8.0
3740	1-1/2"	1.457 - 1.575	37 - 40	.394	10.0	.0591	1.5	.315	8.0
3740R	1-1/2"	1.457 - 1.575	37 - 40	.394	10.0	.0591	1.5	.315	8.0
4043	1-5/8"	1.575 - 1.693	40 - 43	.394	10.0	.0591	1.5	.335	8.5